


## 340 Union taper seat, ISO/EN U11

Torque and notes for installation please find in "Technical Product Notes".  
374 G ... refers to the thread size G according to ISO 228 of the union nut 374.

\* Inside hexagon

\*\* Version

| EN |   | Dim.<br>[inch] | ** | 374 G<br>[inch] | Code        | a<br>[mm] | z1<br>[mm] | s1<br>[mm] | s2<br>[mm] | s3<br>[mm] |
|----|---|----------------|----|-----------------|-------------|-----------|------------|------------|------------|------------|
| •  | B | 1/8            |    | 1/2             | 770 340 101 | 38        | 24         | 15         | 26         | 15         |
|    |   | 1/8            |    | 1/2             | 770 340 201 | 38        | 24         | 15         | 26         | 15         |
| •  | B | 1/4            |    | 5/8             | 770 340 102 | 42        | 22         | 19         | 28         | *10        |
|    |   | 1/4            |    | 5/8             | 770 340 202 | 42        | 22         | 19         | 28         | *10        |
| •  | B | 3/8            |    | 3/4             | 770 340 103 | 48        | 28         | 22         | 32         | *12        |
|    |   | 3/8            |    | 3/4             | 770 340 203 | 48        | 28         | 22         | 32         | *12        |
| •  | B | 1/2            |    | 1               | 770 340 104 | 48        | 22         | 26         | 41         | 25         |
|    |   | 1/2            |    | 1               | 770 340 204 | 48        | 22         | 26         | 41         | 25         |
| •  | B | 1/2            | s  | 1 1/8           | 770 340 120 | 48        | 22         | 26         | 44         | 26         |
|    |   | 1/2            | s  | 1 1/8           | 770 340 220 | 48        | 22         | 26         | 44         | 26         |
| •  | B | 3/4            |    | 1 1/4           | 770 340 105 | 52        | 22         | 31         | 48         | 32         |
|    |   | 3/4            |    | 1 1/4           | 770 340 205 | 52        | 22         | 31         | 48         | 32         |
| •  | B | 1              |    | 1 1/2           | 770 340 106 | 58        | 24         | 38         | 55         | 38         |
|    |   | 1              |    | 1 1/2           | 770 340 206 | 58        | 24         | 38         | 55         | 38         |
| •  | B | 1 1/4          |    | 2               | 770 340 107 | 65        | 27         | 48         | 67         | 48         |
|    |   | 1 1/4          |    | 2               | 770 340 207 | 65        | 27         | 48         | 67         | 48         |
| •  | B | 1 1/2          |    | 2 1/4           | 770 340 108 | 70        | 32         | 54         | 74         | 54         |
|    |   | 1 1/2          |    | 2 1/4           | 770 340 208 | 70        | 32         | 54         | 74         | 54         |
| •  | B | 2              |    | 2 3/4           | 770 340 109 | 78        | 30         | 66         | 90         | 66         |
|    |   | 2              |    | 2 3/4           | 770 340 209 | 78        | 30         | 66         | 90         | 66         |
| •  | B | 2 1/2          |    | 3 1/2           | 770 340 110 | 90        | 36         | 85         | 111        | 85         |
|    |   | 1/2            |    | 3 1/2           | 770 340 210 | 90        | 36         | 85         | 111        | 85         |
| •  | B | 3              |    | 4               | 770 340 111 | 101       | 41         | 96         | 130        | 96         |
| •  | B | 4              |    | 5               | 770 340 112 | 114       | 42         | 120        | 151        | 120        |



## 341 Union taper seat, ISO/EN U12

Torque and notes for installation please find in "Technical Product Notes".  
374 G ... refers to the thread size G according to ISO 228 of the union nut 374.

| EN |   | Dim.<br>[inch] | 374 G<br>[inch] | Code        | b<br>[mm] | z2<br>[mm] | s1<br>[mm] | s2<br>[mm] | s3<br>[mm] |
|----|---|----------------|-----------------|-------------|-----------|------------|------------|------------|------------|
| •  | B | 1/4            | 5/8             | 770 341 102 | 55        | 45         | 19         | 28         | 15         |
|    |   | 1/4            | 5/8             | 770 341 202 | 55        | 45         | 19         | 28         | 15         |
| •  | B | 3/8            | 3/4             | 770 341 103 | 59        | 49         | 22         | 32         | 20         |
|    |   | 3/8            | 3/4             | 770 341 203 | 59        | 49         | 22         | 32         | 20         |
| •  | B | 1/2            | 1               | 770 341 104 | 66        | 53         | 26         | 41         | 23         |
|    |   | 1/2            | 1               | 770 341 204 | 66        | 53         | 26         | 41         | 23         |
| •  | B | 3/4            | 1 1/4           | 770 341 105 | 72        | 57         | 31         | 48         | 30         |
|    |   | 3/4            | 1 1/4           | 770 341 205 | 72        | 57         | 31         | 48         | 30         |
| •  | B | 1              | 1 1/2           | 770 341 106 | 80        | 63         | 38         | 55         | 36         |
|    |   | 1              | 1 1/2           | 770 341 206 | 80        | 63         | 38         | 55         | 36         |
| •  | B | 1 1/4          | 2               | 770 341 107 | 90        | 71         | 48         | 67         | 48         |
|    |   | 1/4            | 2               | 770 341 207 | 90        | 71         | 48         | 67         | 48         |
| •  | B | 1 1/2          | 2 1/4           | 770 341 108 | 96        | 77         | 54         | 74         | 54         |
|    |   | 1/2            | 2 1/4           | 770 341 208 | 96        | 77         | 54         | 74         | 54         |
| •  | B | 2              | 2 3/4           | 770 341 109 | 106       | 82         | 66         | 90         | 66         |
|    |   | 2              | 2 3/4           | 770 341 209 | 106       | 82         | 66         | 90         | 66         |
| •  | B | 2 1/2          | 3 1/2           | 770 341 110 | 122       | 95         | 85         | 111        | 85         |
|    |   | 1/2            | 3 1/2           | 770 341 210 | 122       | 95         | 85         | 111        | 85         |
| •  | B | 3              | 4               | 770 341 111 | 134       | 104        | 96         | 130        | 96         |
| -  | B | 4              | 5               | 770 341 112 | 153       | 117        | 120        | 151        | 120        |